

Acorn-Aqua Extensive Cross Reference Guide to Elkay

<u>Elkay Model #</u>	<u>Description</u>	<u>Code</u>	<u>Acorn-Aqua #</u>
LZS8	Barrier free, wall mounted cooler, gray plastic/vinyl, 8 gph, filter	EQ	A111108F-WF1
LZ8	Barrier free, wall mounted cooler, gray plastic/vinyl, 8 gph, filter	EQ	A111108F-WF1
LZSTL8C	Barrier free bi-level, wall mounted cooler, gray plastic/vinyl, 8 gph, filter	EQ	A112108F-WF1
LZTL8C	Barrier free bi-level, wall mounted cooler, gray plastic/vinyl, 8 gph, filter	EQ	A112108F-WF1
LKFEAM8K	Barrier free, wall mounted fountain, stainless steel, 7.5 gph, filter, mounting frame	EQ	A151408F-WF1
LKTEAM8K	Barrier free bi-level, wall mounted fountain, stainless steel, 7.5 gph, filter, mounting frame	EQ	A152408F-WF1
LKTEAM8RAK	Barrier free reverse bi-level, wall mounted fountain, stainless steel, filter, mounting frame	EQ	A152408F-RBL-WF1
LNFEAM8K	Barrier free, wall mounted fountain, stainless steel, 7.5 gph, filter, mounting frame	EQ	A151408F-WF1
LNTEM8K	Barrier free bi-level, wall mounted fountain, stainless steel, 7.5 gph, filter, mounting frame	EQ	A152408F-WF1
LNTEM8RAK	Barrier free reverse bi-level, wall mounted fountain, stainless steel, filter, mounting frame	EQ	A152408F-RBL-WF1
LRPBM8K	Barrier free, wall mounted fountain, stainless steel, 7.5 gph, filter, mounting frame	EQ	A131408F-WF1
LRPBM28K	Barrier free bi-level, wall mounted fountain, stainless steel, 7.5 gph, filter, mounting frame	EQ	A132408F-WF1
LRPBM28RAK	Barrier free reverse bi-level, wall mounted fountain, stainless steel, filter, mounting frame	EQ	A132408F-RBL-WF1
LPFEAM8C	Barrier free, wall mounted fountain, stainless steel, 7.5 gph, filter, mounting frame	EQ	A131408F-WF1
LPTEAM8C	Barrier free bi-level, wall mounted fountain, stainless steel, 7.5 gph, filter, mounting frame	EQ	A132408F-WF1
LPTEAM8RAC	Barrier free reverse bi-level, wall mounted fountain, stainless steel, filter, mounting frame	EQ	A132408F-RBL-WF1
LJNEM8K	Fully recessed, wall mounted fountain, stainless steel, 8 gph, filter, mounting box	P2	AR11408F-WF1
LJNEM12K	Fully recessed, wall mounted fountain, stainless steel, 12 gph, filter, mounting box	P2	AR11412F-WF1
LWAE8	Wall mounted cooler, gray vinyl, 8 gph, filter	EQ	A311108F-WF1
LWCE4	Wall mounted cooler, gray vinyl, 4 gph, filter	EQ	A311105F-WF1
LWCE8	Compact, wall mounted cooler, gray vinyl, 8 gph, filter	EQ	A211108F-WF1
LFAE8	Free standing cooler, gray vinyl, 8 gph, filter	EQ	A611108F-WF1
LFDE8	Compact, free standing cooler, gray vinyl, 8 gph, filter	EQ	A511108F-WF1
EZS4	Barrier free, wall mounted cooler, gray plastic/vinyl, 8 gph	BE	A111108F
EZS8	Barrier free, wall mounted cooler, gray plastic/vinyl, 8 gph	EQ	A111108F
EZSD	Barrier free, wall mounted cooler, gray plastic/vinyl, less refrigeration	EQ	A111100F
EZ4	Barrier free, wall mounted cooler, gray plastic/vinyl, 4 gph	BE	A111108F
EZ8	Barrier free, wall mounted cooler, gray plastic/vinyl, 8 gph	EQ	A111108F
EZD	Barrier free, wall mounted cooler, gray plastic/vinyl, less refrigeration	EQ	A111100F

Acorn-Aqua Extensive Cross Reference Guide to Elkay

<u>Elkay Model #</u>	<u>Description</u>	<u>Code</u>	<u>Acorn-Aqua #</u>
EZO4	Barrier free, wall mounted cooler, gray plastic/vinyl, 4 gph, sensor operated	BE	A111108F-SO
EZO8	Barrier free, wall mounted cooler, gray plastic/vinyl, 8 gph, sensor operated	EQ	A111108F-SO
EZSTL8C	Barrier free bi-level, wall mounted cooler, gray plastic/vinyl, 8 gph	EQ	A112108F
EZTL8C	Barrier free bi-level, wall mounted cooler, gray plastic/vinyl, 8 gph	EQ	A112108F
EZSTLR8C	Barrier free reverse bi-level, wall mounted cooler, gray plastic/vinyl, 8 gph	EQ	A112108F-RBL
EZTLR8C	Barrier free reverse bi-level, wall mounted cooler, gray plastic/vinyl, 8 gph	EQ	A112108F-RBL
EZSTLDDC	Barrier free bi-level, wall mounted cooler, gray plastic/vinyl, less refrigeration	EQ	A112100F
EZSTLRDDC	Barrier free reverse bi-level, wall mounted cooler, gray plastic/vinyl, less refrigeration	EQ	A112100F-RBL
EZOSTL8C	Barrier free bi-level, wall mounted cooler, gray plastic/vinyl, 8 gph, sensor operated	EQ	A112108F-SO
OBFAVR8	Barrier free, wall mounted cooler, stainless steel, 8 gph, indoor/outdoor, vandal resistant	P2	A111408B-AW-VR
OBFAVRD	Barrier free, wall mounted cooler, stainless steel, less refrigeration, indoor/outdoor, VR	P2	A111400B-AW-VR
OBFAVRFR8	Barrier free, wall mtd. cooler, stainless steel, 8 gph, indoor/outdoor, vandal/freeze resistant	P2	A111408B-AWF-VR
OBFATL8C	Barrier free bi-level, wall mounted cooler, stainless steel, 8 gph, indoor/outdoor, VR	P2	A112408B-AW-VR
OBFATLR8C	Barrier free reverse bi-level, wall mounted cooler, stainless steel, 8 gph, indoor/outdoor, VR	P2	A112408B-AW-RBL-VR
EHFA8	Barrier free, wall mounted cooler, gray vinyl, 7.6 gph	NE	
EHFSA8	Barrier free, wall mounted cooler, gray vinyl, 7.6 gph	NE	
EHFAD	Barrier free, wall mounted cooler, gray vinyl, less refrigeration	NE	
EHFSAD	Barrier free, wall mounted cooler, gray vinyl, less refrigeration	NE	
EHOA8	Barrier free, wall mounted cooler, gray vinyl, 7.6 gph, sensor operated	NE	
OHFAVR8	Barrier free, wall mounted cooler, stainless steel, 7.6 gph, indoor/outdoor, vandal resistant	NE	
EHFRAM7K	Barrier free, fully recessed, wall mounted fountain, stainless steel, 6.9 gph, mounting box	P2	AI11408F
EFRCM8K	Fully recessed, wall mounted fountain, stainless steel, 8 gph, mounting box	P2	AR11408F
EFRCM12K	Fully recessed, wall mounted fountain, stainless steel, 12 gph, mounting box	P2	AR11412F
EFRCM8CDK	Fully recessed, wall mounted fountain w/ cup dispenser/disposer, SS, 8 gph, mounting box	NE	
EFRCM12CDK	Fully recessed, wall mounted fountain w/ cup dispenser/disposer, SS, 12 gph, mounting box	NE	
EFRPCM8K	Fully recessed, wall mounted fountain & cuspidor, stainless steel, 8 gph, mounting box	P2	AR11408F-CUSP
ERHPAM8K	Barrier free, wall mounted fountain, stainless steel, 7.5 gph, mounting frame	EQ	A151408F
ERHPAM28K	Barrier free bi-level, wall mounted fountain, stainless steel, 7.5 gph, mounting frame	EQ	A152408F
ERHPAM28RAK	Barrier free reverse bi-level, wall mounted fountain, stainless steel, 8 gph, mounting frame	EQ	A152408F-RBL
ERFPM8K	Barrier free, wall mounted fountain, stainless steel, 7.5 gph, mounting frame	EQ	A151408F
EROM8K	Barrier free, wall mounted fountain, stainless steel, 7.5 gph, sensor operated, mounting frame	EQ	A151408F-SO

Acorn-Aqua Extensive Cross Reference Guide to Elkay

<u>Elkay Model #</u>	<u>Description</u>	<u>Code</u>	<u>Acorn-Aqua #</u>
ERFPM28K	Barrier free bi-level, wall mounted fountain, stainless steel, 7.5 gph, mounting frame	EQ	A152408F
ERFPM28RAK	Barrier free reverse bi-level, wall mounted fountain, stainless steel, 7.5 gph, mounting frame	EQ	A152408F-RBL
EROM28K	Barrier free bi-level, wall mounted fountain, stainless steel, 7.5 gph, SO, mounting frame	EQ	A152408F-SO
EROM28RAK	Barrier free reverse bi-level, wall mtd. fountain, stainless steel, 7.5 gph, SO, mounting frame	EQ	A152408F-RBL-SO
ECRSPM8K	Barrier free (child), wall mounted fountain, stainless steel, 7.5 gph, mounting frame	EQ	A151408F
ERPBM8K	Barrier free, wall mounted fountain, stainless steel, 7.5 gph, mounting frame	EQ	A131408F
ERPBM28K	Barrier free bi-level, wall mounted fountain, stainless steel, 7.5 gph, mounting frame	EQ	A132408F
ERPBM28RAK	Barrier free reverse bi-level, wall mounted fountain, stainless steel, 7.5 gph, mounting frame	EQ	A132408F-RBL
ERPA8C	Barrier free, wall mounted fountain, stainless steel, 7.5 gph, mounting frame	EQ	A131408F
ERPA28C	Barrier free bi-level, wall mounted fountain, stainless steel, 7.5 gph, mounting frame	EQ	A132408F
ERPA28RAC	Barrier free reverse bi-level, wall mounted fountain, stainless steel, 7.5 gph, mounting frame	EQ	A132408F-RBL
ENOBM8K	Barrier free, wall mounted fountain, stainless steel, 7.5 gph, sensor operated, mounting frame	EQ	A131408F-SO
ENOBM28K	Barrier free bi-level, wall mounted fountain, stainless steel, 7.5 gph, SO, mounting frame	EQ	A132408F-SO
ENOBM28RAK	Barrier free reverse bi-level, wall mtd. fountain, stainless steel, 7.5 gph, SO, mounting frame	EQ	A132408F-RBL-SO
ESRCM8	Semi-recessed, wall mounted cooler, gray vinyl, 7.8 gph, mounting box	NE	
ESRCM13	Semi-recessed, wall mounted cooler, gray vinyl, 12.6 gph, mounting box	NE	
ESRDCM	Semi-recessed, wall mounted cooler, gray vinyl, less refrigeration, mounting box	NE	
ESRWC8	Semi-recessed, wall mounted cooler, gray vinyl, 7.8 gph, less mounting box	NE	
ESRWC13	Semi-recessed, wall mounted cooler, gray vinyl, 12.6 gph, less mounting box	NE	
ESWA8	Simulated recessed, wall mounted cooler, gray vinyl, 7.8 gph	NE	
ESWA13	Simulated recessed, wall mounted cooler, gray vinyl, 12.6 gph	NE	
ESWDA	Simulated recessed, wall mounted cooler, gray vinyl, less refrigeration	NE	
EFA4	Free standing cooler, gray vinyl, 4 gph	EQ	A611104F
EFA8	Free standing cooler, gray vinyl, 8 gph	EQ	A611108F
EFA14	Free standing cooler, gray vinyl, 14 gph	EQ	A611114F
EFA16	Free standing cooler, gray vinyl, 16 gph	P2	A611116F
EFA20	Free standing cooler, gray vinyl, 20 gph	P2	A611120F
EFDA	Free standing cooler, gray vinyl, less refrigeration	EQ	A611100F
EFW16	Free standing cooler, gray vinyl, 16 gph, water cooled	P2	A611116F-WC
EFWC16	Free standing cooler, stainless steel (corrosion resistant), water cooled	P2	A611416F-WC
EFHA8	Free standing cooler, gray vinyl, 8 gph, hot water glass filler	EQ	A611108F-HGF

Acorn-Aqua Extensive Cross Reference Guide to Elkay

<u>Elkay Model #</u>	<u>Description</u>	<u>Code</u>	<u>Acorn-Aqua #</u>
EFHA14	Free standing cooler, gray vinyl, 14 gph, hot water glass filler	EQ	A611114F-HGF
EFOA8	Free standing cooler, gray vinyl, 8 gph, sensor operated	NE	
EFAVR14	Free standing cooler, stainless steel, 14 gph, brass bubbler, vandal resistant	EQ	A611414B-VR
OFAVR14	Free standing cooler, stainless steel, 14 gph, brass bubbler, outdoor, vandal resistant	P2	A611414B-AW-VR
OFAVRFR14	Free standing cooler, stainless steel, 14 gph, brass bubbler, outdoor, vandal/freeze resistant	P2	A611414B-AWF-VR
EFA25	Free standing cooler, stainless steel, 25 gph, high ambient	NE	
OFA25	Free standing cooler, stainless steel, 25 gph, high ambient, outdoor	NE	
LL67114	Free standing cooler, grey vinyl, 13.5 gph, child height	P2	A611114F-CH30
EFTLA8K	Free standing bi-level cooler, grey vinyl, 8 gph, tall & small	P2	A612108F-T/S
EFTLA14K	Free standing bi-level cooler, grey vinyl, 14 gph, tall & small	P2	A612114F-T/S
FD7001	Compact, free standing cooler, sandalwood vinyl, 1 gph	EQ	A511103F
FD7003	Compact, free standing cooler, sandalwood vinyl, 3 gph	EQ	A511103F
FD7005	Compact, free standing cooler, sandalwood vinyl, 5 gph	EQ	A511105F
FD7008	Compact, free standing cooler, sandalwood vinyl, 8 gph	EQ	A511108F
FD70010	Compact, free standing cooler, sandalwood vinyl, 10 gph	EQ	A511110F
FHD7005	Compact, free standing cooler, sandalwood vinyl, 5 gph, hot water glass filler	EQ	A511105F-HGF
FD700D	Compact, free standing cooler, sandalwood vinyl, less refrigeration	EQ	A511100F
EWA4	Wall mounted cooler, gray vinyl, 4 gph	EQ	A311105F
EWA8	Wall mounted cooler, gray vinyl, 8 gph	EQ	A311108F
EWA14	Wall mounted cooler, gray vinyl, 14 gph	P2	A311114F
EWA16	Wall mounted cooler, gray vinyl, 16 gph	P2	A311116F
EWA20	Wall mounted cooler, gray vinyl, 20 gph	NE	
EWDA	Wall mounted cooler, gray vinyl, less refrigeration	EQ	A311100F
EWHA8	Wall mounted cooler, gray vinyl, 8 gph, hot water glass filler	EQ	A311108F-HGF
EWHA14	Wall mounted cooler, gray vinyl, 14 gph, hot water glass filler	P2	A311114F-HGF
EWCA4	Compact, wall mounted cooler, gray vinyl, 4 gph	EQ	A211104F
EWCA8	Compact, wall mounted cooler, gray vinyl, 8 gph	EQ	A211108F
EWCA14	Compact, wall mounted cooler, gray vinyl, 14 gph	P2	A211113F
EWCD	Compact, wall mounted cooler, gray vinyl, less refrigeration	EQ	A211100F
EWTLA8K	Wall mounted bi-level cooler, gray vinyl, 8 gph, tall & small	P2	A312108F-T/S
EWTLA14K	Wall mounted bi-level cooler, gray vinyl, 14 gph, tall & small	P2	A312114F-T/S

Acorn-Aqua Extensive Cross Reference Guide to Elkay

<u>Elkay Model #</u>	<u>Description</u>	<u>Code</u>	<u>Acorn-Aqua #</u>
EWTLA16K	Wall mounted bi-level cooler, gray vinyl, 16 gph, tall & small	P2	A312116F-T/S
HEW1	Compact, wall mounted cooler, slant front, sandalwood vinyl, 1 gph	BE	A211104F
HEW3	Compact, wall mounted cooler, slant front, sandalwood vinyl, 3 gph	BE	A211104F
HEW5	Compact, wall mounted cooler, slant front, sandalwood vinyl, 5 gph	BE	A211104F
HEWD	Compact, wall mounted cooler, slant front, sandalwood vinyl, less refrigeration	BE	A211100F
WD7015	Compact, wall mounted extended length cooler, sandalwood vinyl, 5 gph	BE	A211104F
WD7018	Compact, wall mounted extended length cooler, sandalwood vinyl, 8 gph	BE	A211108F
EFY8	Free standing cooler, stainless steel, 8 gph, explosion proof	P2	A611408B-XP
FGDF7105	Compact, free standing cooler, gray vinyl, 5 gph, enclosed back, brass bubbler	EQ	A511105B-EB3
FGDF71010	Compact, free standing cooler, gray vinyl, 10 gph, enclosed back, brass bubbler	EQ	A511110B-EB3
WGA7115	Wall mounted cooler, gray vinyl, 8 gph, enclosed back, brass bubbler	EQ	A311108B
WGA71110	Wall mounted cooler, gray vinyl, 13.5 gph, enclosed back, brass bubbler	P2	A311114B
EDFPBM114K	Barrier free, wall mounted fountain, stainless steel, mounting plate	EQ	A131400F
EDFPBWM114C	Barrier free, wall mounted fountain, stainless steel, mounting plate, back panel	EQ	A131400F-BP1
EDFPBM117C	Barrier free, wall mounted bi-level fountain, stainless steel, mounting plate	EQ	A132400F
EDFPBM117RAC	Barrier free, wall mounted reverse bi-level fountain, stainless steel, mounting plate	EQ	A132400F-RBL
EDFPM114FPK	Barrier free, wall mounted fountain, stainless steel, freeze resistant valve, back panel	EQ	A131400F-BP1-FRA1
EDFP114C	Barrier free, wall mounted fountain, stainless steel, mounting plate	EQ	A131400F
EDFPW114C	Barrier free, wall mounted fountain, stainless steel, mounting plate, back panel	EQ	A131400F-BP1
EDFPBM117K	Barrier free, wall mounted bi-level fountain, stainless steel, mounting plate	EQ	A132400F
EDFPBM117RAC	Barrier free, wall mounted reverse bi-level fountain, stainless steel, mounting plate	EQ	A132400F-RBL
EDFPBM117FPK	Barrier free, wall mounted bi-level fountain, stainless steel, mounting plate, FR	EQ	A132400F-FRA4
EDFP214C	Barrier free, wall mounted fountain, stainless steel	EQ	A151400F
EDFP214FPK	Barrier free, wall mounted fountain, stainless steel, freeze resistant valve	EQ	A151400F-FRA1
ECDFPW314C	Barrier free (child), wall mounted fountain, stainless steel, mounting plate, back panel	EQ	A151400F-BP2
EDFP217C	Barrier free, wall mounted bi-level fountain, stainless steel	EQ	A152400F
EDFP217RAC	Barrier free, wall mounted reverse bi-level fountain, stainless steel	EQ	A152400F-RBL
EDFP217FPK	Barrier free, wall mounted bi-level, stainless steel, freeze resistant valve	EQ	A152400F-FRA4
EDFP214RC	Wall mounted, composite material (short) fountain, white granite	EQ	A441B00F
EDFP214EC	Barrier free, wall mounted fountain, composite material, black granite	EQ	A151D00F
EDFPW214JC	Barrier free, wall mounted fountain, composite material, emerald granite, back panel	EQ	A151A00F-BP4

Acorn-Aqua Extensive Cross Reference Guide to Elkay

<u>Elkay Model #</u>	<u>Description</u>	<u>Code</u>	<u>Acorn-Aqua #</u>
EDFP220RC	Barrier free, wall mounted trough fountain, composite material, white granite	EQ	A1I2B00F
EDFP14C	Barrier free, wall mounted fountain, stainless steel	EQ	A151400F
EDFP14FPK	Barrier free, wall mounted fountain, stainless steel, freeze resistant valve	EQ	A151400F-FRA1
EDFPA17C	Barrier free, wall mounted bi-level fountain, stainless steel	EQ	A152400F
EDFPA17RAC	Barrier free, wall mounted reverse bi-level fountain, stainless steel	EQ	A152400F-RBL
EDFPA17FPK	Barrier free, wall mounted bi-level, stainless steel, freeze resistant valve	EQ	A152400F-FRA4
EDFA11C	Semi-recessed, wall mounted fountain, stainless steel	NE	
EDFA11FPK	Semi-recessed, wall mounted fountain, stainless steel, freeze resistant valve	NE	
EDFB12C	Fully recessed, wall mounted fountain, stainless steel	P2	A181400B
EDFB12FPK	Fully recessed, wall mounted fountain, stainless steel, freeze resistant valve	P2	A181400B-FRA1
EDFP19C	Simulated recessed, wall mounted fountain, stainless steel	NE	
EDFAC211C	Simulated recessed, wall mounted fountain/cuspidor, stainless steel	NE	
EDFAC11PBC	Simulated recessed, wall mounted cuspidor, stainless steel	NE	
EDFBC212C	Fully recessed, wall mounted fountain/cuspidor, stainless steel	P2	A181400B-CUSP
EDFBC12PBC	Fully recessed, wall mounted cuspidor, stainless steel	P2	A1004000-CUSP
EDFP110C	Barrier free, wall mounted fountain, stainless steel, mounting plate	EQ	A131400F
EDFPW110C	Barrier free, wall mounted fountain, stainless steel, mounting plate, back panel	EQ	A131400F-BP1
EDFPM110FPC	Barrier free, wall mounted fountain, stainless steel, mounting plate, back panel, FR	EQ	A131400F-BP1-FRA1
EDF10C	Wall mounted (short) fountain, stainless steel, push button bubbler	P2	A4A1400P
EDFP10C	Wall mounted (short) fountain, stainless steel, brass bubbler	P2	A4A1400P
EDFP10FPK	Wall mounted fountain, stainless steel, brass bubbler, freeze resistant valve	NE	
EDF14C	Barrier free, wall mounted fountain, stainless steel, push button bubbler	BE	A151400B
EDFP210C	Wall mounted (short) fountain, stainless steel	EQ	A441400F
EDFP210FPK	Wall mounted (short) fountain, stainless steel, freeze resistant valve	EQ	A441400F-FRA1
EDFP210RC	Wall mounted (short) fountain, composite material, white granite	EQ	A441B00F
EDFP210EC	Wall mounted (short) fountain, composite material, black granite	EQ	A441D00F
EDFPW210JC	Wall mounted (short) fountain, composite material, emerald granite, back plate	EQ	A441A00F-BP4
EDF214WC	Wall mounted (short) fountain, composite material, white, push button bubbler	EQ	A441B00P
EDF20C	Wall mounted fountain, stainless steel, push button bubbler	BE	A211100P
EDF210C	Wall mounted fountain, stainless steel, sink type, 2 station	NE	
EDF310C	Wall mounted fountain, stainless steel, sink type, 3 station	NE	

Acorn-Aqua Extensive Cross Reference Guide to Elkay

<u>Elkay Model #</u>	<u>Description</u>	<u>Code</u>	<u>Acorn-Aqua #</u>
EDF15AC	Post mount fountain, stainless steel, push button bubbler	P2	A4B1400P
DRKR10C	Deck mounted round fountain, stainless steel, push button bubbler	P2	A861400P
DRKR14C	Deck mounted round fountain, stainless steel, push button bubbler	P2	A861400P
ERS1	Remote water chiller, 1 gph	EQ	A9100010
ER2	Remote water chiller, 2.5 gph	NE	
ER5	Remote water chiller, 5.7 gph	BE	A9100080
ECH8	Remote water chiller 8 gph	EQ	A9100080
ERC8	Remote water chiller, 8 gph	EQ	A9100080
ER10	Remote water chiller, 10 gph	EQ	A9100100
ER19	Remote water chiller, 19 gph	EQ	A9100200
ER30	Remote water chiller, 28 gph	P2	A9100300
ERW20	Remote water chiller, 19.5 gph, water cooled	P2	A9100200-WC
ERW32	Remote water chiller, 31.9 gph, water cooled	P2	A9100300-WC
<u>Code</u>			
EQ= Equal			
BE= Best Equal			
ALT= Alternate			
NE= No Equal			
P2= Phase 2 Introduction			
(CY'04/Cross Reference Guides/Aqua vs Elkay)			
19-Mar-04			
Updated August 16, 2005			