

Acorn-Aqua Extensive Cross Reference Guide to Halsey-Taylor

<u>H -T Model #</u>	<u>Description</u>	<u>Code</u>	<u>Acorn Aqua #</u>
HTV4-Q	Barrier free, wall mounted cooler, white/gray plastic, 4 gph	BE	A111108F
HTV8-Q	Barrier free, wall mounted cooler, white/gray plastic, 8 gph	EQ	A111108F
HTV L/R	Barrier free, wall mounted cooler, white/gray plastic, less refrigeration	EQ	A111100F
HTV8EE-Q	Barrier free, wall mounted cooler, white/gray plastic, 8 gph, sensor operated	EQ	A111108F-SO
HTV8-WF-Q	Barrier free, wall mounted cooler, white/gray plastic, 8 gph, water filter	EQ	A111108F-WF1
HTV8EE-WF-Q	Barrier free, wall mounted cooler, white/gray plastic, 8 gph, sensor operated, water filter	EQ	A111108F-SO-WF1
HTV8BL-Q	Barrier free bi-level, wall mounted cooler, white/gray plastic, 8 gph	EQ	A112108F
HTV8BLEE-Q DUAL	Barrier free bi-level, wall mounted cooler, white/gray plastic, 8 gph, both sensor operated	EQ	A112108F-SO(2x)
HTV-DBL-L/R	Barrier free bi-level, wall mounted cooler, white/gray plastic, less refrigeration	EQ	A112100F
HTV8BL-WF-Q	Barrier free bi-level, wall mounted cooler, white/gray plastic, 8 gph, water filter	EQ	A112108F-WF1
HAC4FS-Q	Barrier free, wall mounted cooler, stainless steel, 4 gph	BE	A111408F
HAC8FS-Q	Barrier free, wall mounted cooler, stainless steel, 8 gph	EQ	A111408F
HAC8EE-Q	Barrier free, wall mounted cooler, stainless steel, 8 gph, sensor operated	EQ	A111408F-SO
HACFS L/R	Barrier free, wall mounted cooler, stainless steel, less refrigeration	EQ	A111400F
HAC8FS-WF-Q	Barrier free, wall mounted cooler, stainless steel, 8 gph, water filter	EQ	A111408F-WF1
HAC8FS-Q-TX	Barrier free Child, wall mounted cooler, stainless steel, 8 gph	EQ	A111408F
HAC8F-VR-Q	Barrier free, wall mounted cooler, stainless steel, brass push button & bubbler, VR	EQ	A111408B-VR
HAC8FBL-VR-Q	Barrier free bi-level, wall mounted cooler, stainless steel, brass push button & bubbler, VR	EQ	A112408B-VR
HAC8FSBL-Q	Barrier free bi-level, wall mounted cooler, stainless steel, 8 gph	EQ	A112408F
HAC8BLEE-Q	Barrier free bi-level, wall mounted cooler, stainless steel, 8 gph, sensor operated	EQ	A112408F-SO
HAC8FSBL-WF-Q	Barrier free bi-level, wall mounted cooler, stainless steel, 8 gph, water filter	EQ	A112408F-WF1
HAC8FSBL-Q-TX	Barrier free Child bi-level, wall mounted cooler, stainless steel, 8 gph	EQ	A112408F
HACFSDBL-LR	Barrier free bi-level, wall mounted cooler, stainless steel, less refrigeration	EQ	A112400F
WC8F-Q	Barrier free, wall mounted cooler, platinum vinyl, 8 gph	NE	
WC8FS-Q	Barrier free, wall mounted cooler, platinum vinyl, 8 gph	NE	
WC8EE-Q	Barrier free, wall mounted cooler, platinum vinyl, 8 gph, sensor operated	NE	
WCFS/LR	Barrier free, wall mounted cooler, platinum vinyl, less refrigeration	NE	
OVL-II ER-Q	Barrier free, wall mounted fountain, stainless steel, 8 gph	EQ	A131408B
OVL-II EREE-Q	Barrier free, wall mounted fountain, stainless steel, 8 gph, sensor operated	EQ	A131408B-SO
OVL-II SR-Q	Wall mounted fountain (short), stainless steel, 8 gph	EQ	A421408B
OVL-II SREE-Q	Wall mounted fountain (short), stainless steel, 8 gph, sensor operated	EQ	A421408B-SO
OVL-II SER-Q	Barrier free bi-level, wall mounted fountain, stainless steel, 8 gph	EQ	A132408B
OVL-II SEREE-Q	Barrier free bi-level, wall mounted fountain, stainless steel, 8 gph, sensor operated	EQ	A132408B-SO
HCRFER-Q	Barrier free (child), wall mounted fountain, stainless steel, 8 gph	EQ	A151408B
HRFER-Q	Barrier free, wall mounted fountain, stainless steel, 8 gph	EQ	A151408B
HRFEREE-Q	Barrier free, wall mounted fountain, stainless steel, 8 gph, sensor operated	EQ	A151408B-SO
HRFSR-Q	Wall mounted fountain (short), stainless steel, 8 gph	EQ	A441408B
HRFSER-Q	Barrier free bi-level, wall mounted fountain, stainless steel, 8 gph	EQ	A152408B
HRFSEREE-Q	Barrier free bi-level, wall mounted fountain, stainless steel, 8 gph, sensor operated	EQ	A152408B-SO
HTER-Q	Barrier free, wall mounted fountain, stainless steel, 8 gph	EQ	A151408B
HTSR-Q	Wall mounted fountain (short), stainless steel, 8 gph	EQ	A441408B
HTSER-Q	Barrier free bi-level, wall mounted fountain, stainless steel, 8 gph	EQ	A152408B
RC8A-Q	Barrier free, fully recessed fountain, stainless steel, 8 gph	P2	AR11408B
BFMR-Q	Barrier free, inverted fully recessed fountain, stainless steel, 8 gph	P2	AI11408B
BFM L/R	Barrier free, inverted fully recessed fountain, stainless steel, less refrigeration	P2	AI11400B
OVL-II E	Barrier free, wall mounted fountain, stainless steel	EQ	A131400B
OVL-II EBP	Barrier free, wall mounted fountain, stainless steel, back panel	EQ	A131400B-BP1
OVL-II EBP FR	Barrier free, wall mounted fountain, stainless steel, back panel, freeze resistant valve	EQ	A131400B-BP1-FRA1
OVL-II SEBP	Barrier free bi-level, wall mounted fountain, stainless steel	EQ	A132400B
OVL-II SEBP FR	Barrier free bi-level, wall mounted fountain, stainless steel, freeze resistant	EQ	A132400B-FRA4
OVL-II SBP	Wall mounted fountain (short), stainless steel, back panel	EQ	A421400B-BP1
OVL-II SBP FR	Wall mounted fountain (short), stainless steel, back panel, freeze resistant valve	EQ	A421400B-BP1-FRA1
HCRFEBP	Barrier free (child), wall mounted fountain, stainless steel, back panel	EQ	A151400B-BP2
HRFE	Barrier free, wall mounted fountain, stainless steel	EQ	A151400B
HRFE FR	Barrier free, wall mounted fountain, stainless steel, freeze resistant valve	EQ	A151400B-FRA1

Acorn-Aqua Extensive Cross Reference Guide to Halsey-Taylor

<u>H-T Model #</u>	<u>Description</u>	<u>Code</u>	<u>Acorn Aqua #</u>
HRFEBP	Barrier free, wall mounted fountain, stainless steel, back panel	EQ	A151400B-BP2
HRFEBP FR	Barrier free, wall mounted fountain, stainless steel, back panel, freeze resistant valve	EQ	A151400B-BP2-FRA1
HRFSEBP	Barrier free bi-level, wall mounted fountain, stainless steel	EQ	A152400B
HRFSEBP FR	Barrier free bi-level, wall mounted fountain, stainless steel, freeze resistant valve	EQ	A152400B-FRA4
HRFS	Wall mounted fountain (short), stainless steel	EQ	A441400B
HRFS FR	Wall mounted fountain (short), stainless steel, freeze resistant valve	EQ	A441400B-FRA1
HRFSBP	Wall mounted fountain (short), stainless steel, back panel	EQ	A441400B-BP2
HRFSBP FR	Wall mounted fountain (short), stainless steel, back panel, freeze resistant valve	EQ	A441400B-BP2-FRA1
HTE	Barrier free, wall mounted fountain, stainless steel	EQ	A151400B
HTE FR	Barrier free, wall mounted fountain, stainless steel, freeze resistant valve	EQ	A151400B-FRA1
HTEBP	Barrier free, wall mounted fountain, stainless steel, back panel	EQ	A151400B-BP2
HTEBP FR	Barrier free, wall mounted fountain, stainless steel, back panel, freeze resistant valve	EQ	A151400B-BP2-FRA1
HTSEBP	Barrier free bi-level, wall mounted fountain, stainless steel	EQ	A152400B
HTSEBP FR	Barrier free bi-level, wall mounted fountain, stainless steel, freeze resistant valve	EQ	A152400B-FRA4
HTS	Wall mounted fountain (short), stainless steel	EQ	A441400B
HTS FR	Wall mounted fountain (short), stainless steel, freeze resistant valve	EQ	A441400B-FRA1
HTSBP	Wall mounted fountain (short), stainless steel, back panel	EQ	A441400B-BP2
HTSBP FR	Wall mounted fountain (short), stainless steel, back panel, freeze resistant	EQ	A441400B-BP2-FRA1
8880	Fully recessed, wall mounted fountain, stainless steel	P2	AR11400B
8880-10245	Fully recessed, wall mounted fountain, stainless steel, cuspidor	P2	AR11400B-CUSP
10245	Fully recessed, wall mounted cuspidor, stainless steel	P2	A1004000-CUSP
5801	Semi-recessed, wall mounted fountain, stainless steel	NE	
5801C	Semi-recessed, wall mounted fountain, stainless steel, cuspidor	NE	
5801 VR	Semi-recessed, wall mounted fountain, stainless steel, vandal resistant	NE	
5803	Semi-recessed, wall mounted cuspidor, stainless steel	NE	
5905	Wall mounted (short) fountain, stainless steel	EQ	A441400B
5905AC	Wall mounted (short) fountain, stainless steel, freeze resistant valve	EQ	A441400B-FRA1
2634	Wall mounted, Anniversary Fountain, marblyte white	EQ	A4J1B00B
5701	Barrier free, wall mounted fountain, stainless steel	NE	
4400	Pedestal mounted, round steel fountain, green, surface mounted	EQ	A7C1500B
4400 FR	Pedestal mounted, round steel fountain, green, surface mounted, freeze resistant	EQ	A7C1500B-FRU1
4400 DB	Pedestal mounted, round steel fountain, green, surface mounted, pet fountain	EQ	A7C1500B-PF
4410	Barrier free, pedestal mounted, round steel fountain, surface mounted, green	EQ	ABC1500B
4410 FR	Barrier free, pedestal mounted, round steel fountain, green, surface mounted, freeze resistant	EQ	ABC1500B-FRU1
4420	Barrier free, pedestal mounted bi-level, round steel fountain, green, surface mounted	EQ	ABC2500B
4420 FR	Barrier free, pedestal mounted bi-level, round steel fountain, green, surface mounted, FR	EQ	ABC2500B-FRU2
4430	Barrier free, pedestal mounted tri-level, round steel fountain, green, surface mounted	EQ	ABC3500B
4450	Standard single shower tower	NE	
4460	Yard hydrant with non-locking hose bib	NE	
4461	Yard hydrant with locking hose bib	NE	
4710	Barrier free, pedestal mounted, square steel fountain, green, surface mounted	EQ	ABG1500B
4710 FR	Barrier free, pedestal mounted, square steel fountain, green, surface mounted, FR	EQ	ABG1500B-FRU1
4720	Barrier free, pedestal mounted bi-level, square steel fountain, green, surface mounted	EQ	ABG2500B
4720 FR	Barrier free, pedestal mounted bi-level, square steel fountain, surface mounted, FR	EQ	ABG2500B-FRU2
4715	Pedestal mounted, square steel fountain, green, surface mounted	EQ	A7G1500B
4715 FR	Pedestal mounted, square steel fountain, green, surface mounted, freeze resistant	EQ	A7G1500B-FRU1
4590	Barrier free, pedestal mounted, square stone aggregate fountain, surface mounted	EQ	ABE1900B
4590 FR	Barrier free, pedestal mounted, square stone aggregate fountain, surface mounted, FR	EQ	ABE1900B-FRU1
4591	Pedestal mounted, square stone aggregate fountain, surface mounted	EQ	A7E1900B
4595	Barrier free, pedestal mounted bi-level, square stone aggregate fountain, surface mounted	EQ	ABE2900B
4595 FR	Barrier free, pedestal mounted bi-level, square stone aggregate fountain, surface mtd., FR	EQ	ABE2900B-FRU2
4405	Barrier free, wall mounted round steel fountain, green	EQ	A1C1500B
4405 FR	Barrier free, wall mounted round steel fountain, green, freeze resistant	EQ	A1C1500B-FRA1
4593	Barrier free, wall mounted stone aggregate fountain	EQ	A1E1900B
4593 FR	Barrier free, wall mounted stone aggregate fountain, freeze resistant	EQ	A1E1900B-FRA1
4592	Wall mounted, stone aggregate fountain	EQ	A1E1900B
4592 FR	Wall mounted, stone aggregate fountain, freeze resistant	EQ	A1E1900B-FRA1

Acorn-Aqua Extensive Cross Reference Guide to Halsey-Taylor

<u>H-T Model #</u>	<u>Description</u>	<u>Code</u>	<u>Acorn Aqua #</u>
4705	Barrier free, wall mounted square steel fountain	EQ	A1G1500B
4705 FR	Barrier free, wall mounted square steel fountain, freeze resistant	EQ	A1G1500B-FRA1
4520-68	Pedestal mounted, cast iron based fountain, push button bubbler, surface mtd., child height	BE	A7F1500P-CH30
4521-68	Pedestal mounted, cast iron based fountain, push button bubbler, surface mounted	BE	A7F1500P
4616	Pedestal mounted, cast iron based fountain, push button bubbler, surface mtd., child height	BE	A7F1500P-CH30
4617	Pedestal mounted, cast iron based fountain, push button bubbler, surface mounted	BE	A7F1500P
4880	Pedestal mounted, cast iron base fountain, child height, surface mounted, freeze resistant	NE	
4881	Pedestal mounted, cast iron base fountain, surface mounted, freeze resistant	NE	
5405	Wall mounted, molded composite material fountain, white	EQ	A441B00B
4540	Wall mounted, rectangular stainless steel bowl, bracket, level operated valve	EQ	A461400L
2501A	Wall mounted, rectangular stainless steel bowl, bracket, push button bubbler	EQ	A461400P
2205A	Wall mounted, square 11" top, waste, push button bubbler	P2	A4A1400P
6000	Deck mounted, rectangular stainless steel bowl, push button bubbler	P2	A871400P
6028	Deck mounted, oval stainless steel bowl, push button bubbler	P2, BE	A861400P
10000	Deck mounted, round stainless steel bowl, push button bubbler	BE	A861400P
2507	Double bubbler and lever handle valve 1/4" supply	NE	
2509	Double bubbler and lever handle valve 3/8" supply	NE	
3041	Chrome plated, push button projector single stream	P2	
7120	Barrier free, wall mounted marblyte trough fountain, 2 station, white	EQ	A1I2B00B
7120 FR	Barrier free, wall mounted marblyte trough fountain, 2 station, white, freeze resistant	EQ	A1I2B00B-FRA2
7020	Wall mounted, SS, face-mounted fountain, 2 station	BE	A1I2H00B
7030	Wall mounted, SS, face-mounted fountain, 3 station	BE	A1I3H00B
SW4A-Q	Compact, wall mounted cooler, platinum vinyl, 4 gph	EQ	A211104F
SW8A-Q	Compact, wall mounted cooler, platinum vinyl, 8 gph	EQ	A211108F
SW14A-Q	Compact, wall mounted cooler, platinum vinyl, 14 gph	P2	A211113F
SW L/R	Compact, wall mounted cooler, platinum vinyl, less refrigeration	EQ	A211100F
SW8A-VR-Q	Compact, wall mounted cooler, stainless steel, 8 gph, brass bubbler, vandal resistant	EQ	A211408P
WM8A-Q	Wall mounted cooler, platinum vinyl, 8 gph	EQ	A311108F
WM14A-Q	Wall mounted cooler, platinum vinyl, 14 gph	P2	A311114F
WM14W-Q	Wall mounted cooler, platinum vinyl, 14 gph, water cooled	P2	A311114F-WC
WM L/R	Wall mounted cooler, platinum vinyl, less refrigeration	EQ	A311100F
WM8A-WF-Q	Wall mounted cooler, platinum vinyl, 8 gph, water filter	EQ	A311108F-WF1
WM14ABL-Q	Wall mounted bi-level cooler, platinum vinyl, 14 gph	P2	A312114F-T/S
HOF14A-Q	Free standing, outdoor cooler, stainless steel, 14 gph	P2	A611414B-AW-VR
HOF14A-Q FR	Free standing, outdoor cooler, stainless steel, 14 gph, freeze resistant valve	P2	A611414B-AWF-VR
HOWC8F-Q	Barrier free, wall mounted outdoor cooler, stainless steel, 8 gph, brass bubbler	P2	A111408B-AW-VR
HOWC8F-Q FR	Barrier free, wall mounted outdoor cooler, stainless steel, 8 gph, brass bubbler, FR	P2	A111408B-AWF-VR
SCWT4A-Q	Free standing cooler, platinum vinyl, 4 gph	EQ	A611104F
SCWT8A-Q	Free standing cooler, platinum vinyl, 8 gph	EQ	A611108F
SCWT14A-Q	Free standing cooler, platinum vinyl, 14 gph	EQ	A611114F
SCWT14W-Q	Free standing cooler, platinum vinyl, 14 gph, water cooled	P2	A611114F-WC
SCWT14FL-Q	Free standing cooler, platinum vinyl, 14 gph, with left side fountain	NE	
SCWT8A-WF-Q	Free standing cooler, platinum vinyl, 8 gph, water filter	EQ	A611108F-WF1
SCWT14A-VR-Q	Free standing cooler, stainless steel, 14 gph, brass bubbler, vandal resistant	EQ	A611114P
SCWT L/R	Free standing cooler, platinum vinyl, less refrigeration	EQ	A611100F
XP8W-Q	Free standing cooler, stainless steel, 8 gph, explosion proof	P2	A611408B-XP
S300-2E-Q	Compact, free standing cooler, platinum vinyl, 3 gph	EQ	A511103F
S500-5E-Q	Compact, free standing cooler, platinum vinyl, 5 gph	EQ	A511105F
S500-5E-CB-Q	Compact, free standing cooler, platinum vinyl, 5 gph, hot water glass filler	EQ	A511105F-HGF
S1000-10E-Q	Compact, free standing cooler, platinum vinyl, 10 gph	EQ	A511110F
S L/R	Compact, free standing cooler, platinum vinyl, less refrigeration	EQ	A511100F
RWM8A-Q	Semi-recessed, wall mounted cooler, platinum vinyl, 8 gph	NE	
RWM L/R	Semi-recessed, wall mounted cooler, platinum vinyl, less refrigeration	NE	
HBW8A-Q	Simulated recessed, wall mounted cooler, platinum vinyl, 8 gph	NE	
HBW L/R	Simulated recessed, wall mounted cooler, platinum vinyl, less refrigeration	NE	
SJ1-Q	Remote water chiller, 1 gph	EQ	A9100010
SJ8-Q	Remote water chiller, 8 gph	EQ	A9100080

Acorn-Aqua Extensive Cross Reference Guide to Halsey-Taylor

<u>H-T Model #</u>	<u>Description</u>	<u>Code</u>	<u>Acorn Aqua #</u>
SJ5-Q	Remote water chiller, 5 gph	BE	A9100080
SJ10-Q	Remote water chiller, 10 gph	EQ	A9100100
SJ19-Q	Remote water chiller, 19 gph	EQ	A9100200
SJ30-Q	Remote water chiller, 30 gph	P2	A9100300
SJ32-W	Remote water chiller, 32 gph, water cooled	P2	A9100300-WC

Code

EQ= Equal

BE= Best Equal

ALT= Alternate

NE= No Equal

P2= Phase 2 Introduction

(CY'04/Cross Reference Guides/Aqua vs Halsey-Taylor)

18-Mar-04

Updated February 14, 2006