

Acorn-Aqua Extensive Cross Reference Guide to Oasis

<u>Oasis Model #</u>	<u>Description</u>	<u>Code</u>	<u>Acorn Aqua #</u>
P8AC	Barrier free, wall mounted cooler, sandstone powder coated, 8 gph	EQ	A111108F
P8ACEE	Barrier free, wall mounted cooler, sandstone powder coated, 8 gph, sensor operated	EQ	A111108F-SO
PAC	Barrier free, wall mounted cooler, sandstone powder coated, less refrigeration	EQ	A111100F
P8ACSL	Barrier free bi-level, wall mounted cooler, sandstone powder coated, 8 gph	EQ	A112108F
P8ACSLEE	Barrier free bi-level, wall mounted cooler, sandstone powder coated, 8 gph, sensor operated	EQ	A112108F-RBL-SO
PACSL	Barrier free bi-level, wall mounted cooler, sandstone powder coated, less refrigeration	EQ	A112100F-RBL
PR8ACSL	Barrier free reverse bi-level, wall mounted cooler, sandstone powder coated, 8 gph	EQ	A112108F
PR8ACSLEE	Barrier free reverse bi-level, wall mounted cooler, sandstone powder coated, 8 gph, SO	EQ	A112108F-SO
PRACSL	Barrier free reverse bi-level, wall mounted cooler, sandstone powder coated, less refrigeration	EQ	A112100F
PV8AC	Barrier free, wall mounted cooler, SS, 8 gph, brass bubbler, vandal resistant	EQ	A111408B-VR
PV8ACSL	Barrier free bi-level, wall mounted cooler, SS, 8 gph, brass bubbler, vandal resistant	EQ	A112408B-RBL-VR
PRV8ACSL	Barrier free reverse bi-level, wall mounted cooler, SS, 8 gph, brass bubbler, vandal resistant	EQ	A112408B-VR
PF8AC	Barrier free, wall mounted cooler, sandstone powder coated, 8 gph, filter	EQ	A111108F-WF1
PF8ACEE	Barrier free, wall mounted cooler, sandstone powder coated, 8 gph, filter, sensor operated	EQ	A111108F-SO-WF1
PFAC	Barrier free, wall mounted cooler, sandstone powder coated, less refrigeration, filter	EQ	A111100F-WF1
PF8ACSL	Barrier free bi-level, wall mounted cooler, sandstone powder coated, 8 gph, filter	EQ	A112108F-RBL-WF1
PF8ACSLEE	Barrier free bi-level, wall mounted cooler, sandstone powder coated, 8 gph, filter, SO	EQ	A112108F-RBL-SO-WF1
PFACSL	Barrier free bi-level, wall mounted cooler, sandstone powder coated, less refrigeration, filter	EQ	A112100F-RBL-WF1
PRF8ACSL	Barrier free reverse bi-level, wall mounted cooler, sandstone powder coated, 8 gph, filter	EQ	A112108F-WF1
PRF8ACSLEE	Barrier free reverse bi-level, wall mounted cooler, sandstone powder coated, 8 gph, filter, SO	EQ	A112108F-SO-WF1
PRFACSL	Barrier free reverse bi-level, wall mounted cooler, sandstone powder coated, LR, filter	EQ	A112100F-WF1
P8AM	Barrier free, wall mounted cooler, sandstone powder coated, 8 gph	EQ	A111108F
P8AMEE	Barrier free, wall mounted cooler, sandstone powder coated, 8 gph, sensor operated	EQ	A111108F-SO
PAM	Barrier free, wall mounted cooler, sandstone powder coated, less refrigeration	EQ	A111100F
P8AMSL	Barrier free bi-level, wall mounted cooler, sandstone powder coated, 8 gph	EQ	A112108F-RBL
P8AMSLEE	Barrier free bi-level, wall mounted cooler, sandstone powder coated, 8 gph, sensor operated	EQ	A112108F-RBL-SO
PAMSL	Barrier free bi-level, wall mounted cooler, sandstone powder coated, less refrigeration	EQ	A112100F-RBL
PR8AMSL	Barrier free reverse bi-level, wall mounted cooler, sandstone powder coated, 8 gph	EQ	A112108F
PR8AMSLEE	Barrier free reverse bi-level, wall mounted cooler, sandstone powder coated, 8 gph, SO	EQ	A112108F-SO
PRAMSL	Barrier free reverse bi-level, wall mounted cooler, sandstone powder coated, less refrigeration	EQ	A112100F
PV8AM	Barrier free, wall mounted cooler, SS, 8 gph, brass bubbler, vandal resistant	EQ	A111408B-VR
PV8AMSL	Barrier free bi-level, wall mounted cooler, SS, 8 gph, brass bubbler, vandal resistant	EQ	A112408B-RBL-VR

Acorn-Aqua Extensive Cross Reference Guide to Oasis

<u>Oasis Model #</u>	<u>Description</u>	<u>Code</u>	<u>Acorn Aqua #</u>
PRV8AMSL	Barrier free reverse bi-level, wall mounted cooler, SS, 8 gph, brass bubbler, vandal resistant	EQ	A112408B-VR
PF8AM	Barrier free, wall mounted cooler, sandstone powder coated, 8 gph, filter	EQ	A111108F-WF1
PF8AMEE	Barrier free, wall mounted cooler, sandstone powder coated, 8 gph, filter, sensor operated	EQ	A111108F-SO-WF1
PFAM	Barrier free, wall mounted cooler, sandstone powder coated, less refrigeration	EQ	A111100F-WF1
PF8AMSL	Barrier free bi-level, wall mounted cooler, sandstone powder coated, 8 gph, filter	EQ	A112108F-RBL-WF1
PF8AMSLEE	Barrier free bi-level, wall mounted cooler, sandstone powder coated, 8 gph, filter, SO	EQ	A112108F-RBL-SO-WF1
PFAMSL	Barrier free bi-level, wall mounted cooler, sandstone powder coated, less refrigeration, filter	EQ	A112100F-RBL-WF1
PRF8AMSL	Barrier free reverse bi-level, wall mounted cooler, sandstone powder coated, 8 gph, filter	EQ	A112108F-WF1
PRF8AMSLEE	Barrier free reverse bi-level, wall mounted cooler, sandstone powder coated, 8 gph, filter, SO	EQ	A112108F-SO-WF1
PRFAMSL	Barrier free reverse bi-level, wall mounted cooler, sandstone powder coated, LR, filter	EQ	A112100F-WF1
PLF8SKPE	Barrier free, wall mounted cooler, sandstone powder coated, 8 gph	NE	
PLF8SKTP	Barrier free, wall mounted cooler, sandstone powder coated, 8 gph	NE	
P8M	Wall mounted cooler, sandstone powder coated, 8 gph	EQ	A311108F
P14M	Wall mounted cooler, sandstone powder coated, 14 gph	P2	A311114F
PLF16M	Wall mounted cooler, sandstone powder coated, 16 gph	P2	A311116F
PM	Wall mounted cooler, sandstone powder coated, less refrigeration	EQ	A311100F
PLF8MH	Wall mounted cooler, sandstone powder coated, 8 gph, hot water glass filler	EQ	A311108F-HGF
PLF14MH	Wall mounted cooler, sandstone powder coated, 14 gph, hot water glass filler	P2	A311114F-HGF
PCMSL	Wall mounted, split-level side fountain, sandstone powder coated, less refrigeration	P2	See T/S Options
PLF3CM	Compact, wall mounted cooler, sandstone powder coated, 3 gph	EQ	A211104F
PLF5CM	Compact, wall mounted cooler, sandstone powder coated, 5 gph	BE	A211104F
PCM	Compact, wall mounted cooler, sandstone powder coated, less refrigeration	EQ	A211100F
PF8M	Wall mounted cooler, sandstone powder coated, 8 gph, filter	EQ	A311108F-WF1
PF14M	Wall mounted cooler, sandstone powder coated, 14 gph, filter	P2	A311114F-WF1
PLF8S	Semi-recessed, wall mounted cooler, sandstone powder coated, 8 gph, mounting box	NE	
PLF14S	Semi-recessed, wall mounted cooler, sandstone powder coated, 14 gph, mounting box	NE	
PLF8SM	Simulated recessed, wall mounted cooler, sandstone powder coated, 8 gph	NE	
PLF14SM	Simulated recessed, wall mounted cooler, sandstone powder coated, 14 gph	NE	
P8FPM	Fully recessed, wall mounted cooler, SS, 8 gph, mounting sleeve	P2	AR11408B
P12FPM	Fully recessed, wall mounted cooler, SS, 12 gph, mounting sleeve	P2	AR11412B
P8FPMCD	Fully recessed with cup filler component, wall mounted cooler, SS, 8 gph, mounting sleeve	NE	
P12FPMCD	Fully recessed with cup filler component, wall mounted cooler, SS, 12 gph, mounting sleeve	NE	
P8WFPM	Barrier free, inverted fully recessed, wall mounted cooler, 8 gph, mounting sleeve	P2	AI11408B
P8WFEE	BF, inverted fully recessed, wall mounted cooler, 8 gph, sensor operated, mounting sleeve	P2	AI11408B-SO

Acorn-Aqua Extensive Cross Reference Guide to Oasis

<u>Oasis Model #</u>	<u>Description</u>	<u>Code</u>	<u>Acorn Aqua #</u>
PF8FPM	Fully recessed, wall mounted cooler, SS, 8 gph, filter, mounting sleeve	P2	AR11408B-WF1
PF8FPMCD	Fully recessed with cup filler component, wall mounted cooler, SS, 8 gph, filter, mounting sleeve	NE	
PF8WFPM	Barrier free, inverted fully recessed, wall mounted cooler, SS, 8 gph, filter, mounting sleeve	P2	AI11408B-WF1
PF8WFEE	Inverted fully recessed, wall mounted cooler, SS, 8 gph, sensor operated, filter, mounting sleeve	P2	AI11408B-SO-WF1
M8CR	Barrier free bi-level, wall mounted fountain, SS, 8 gph, mounting frame	EQ	A132408F
M8CREE	Barrier free bi-level, wall mounted fountain, SS, 8 gph, sensor operated, mounting frame	EQ	A132408F-SO
M8WR	Barrier free, wall mounted fountain, SS, 8 gph, mounting frame	EQ	A131408F
M8WREE	Barrier free, wall mounted fountain, SS, 8 gph, sensor operated, mounting frame	EQ	A131408F-SO
MMRSL	Barrier free bi-level, wall mounted fountain, SS, mounting frame	EQ	A132400F
M110R	Wall mounted (short) fountain, SS, back panel, mounting frame	EQ	A421400F-BP1
M140R	Barrier free, wall mounted fountain, SS, back panel, mounting frame	EQ	A131400F-BP1
MF8CR	Barrier free bi-level, wall mounted fountain, SS, 8 gph, filter, mounting frame	EQ	A132408F-WF1
MF8CREE	Barrier free bi-level, wall mounted fountain, SS, 8 gph, sensor operated, filter, mounting frame	EQ	A132408F-SO-WF1
MF8WR	Barrier free, wall mounted, fountain, SS, 8 gph, filter, mounting frame	EQ	A131408F-WF1
MF8WREE	Barrier free, wall mounted, fountain, SS, 8 gph, sensor operated, filter, mounting frame	EQ	A131408F-SO-WF1
M110RFZ	Wall mounted (short) fountain, SS, freeze resistant valve, back panel, mounting frame	EQ	A421400F-BP1-FRA1
M140RFZ	Barrier free, wall mounted fountain, SS, freeze resistant valve, back panel, mounting frame	EQ	A131400F-BP1-FRA1
M8SCPM	Barrier free bi-level, wall mounted fountain, SS, 8 gph, mounting frame	EQ	A152408F
M8SCEE	Barrier free bi-level, wall mounted fountain, SS, 8 gph, sensor operated, mounting frame	EQ	A152408F-SO
M8SBPM	Barrier free, wall mounted fountain, SS, 8 gph, mounting frame	EQ	A151408F
M8SBEE	Barrier free, wall mounted fountain, SS, 8 gph, sensor operated, mounting frame	EQ	A151408F-SO
MSSLPM	Barrier free bi-level, wall mounted fountain, SS, mounting frame	EQ	A152400F
M110PM	Wall mounted (short) fountain, SS, back panel, mounting frame	EQ	A441400F-BP2
M140PM	Barrier free, wall mounted fountain, SS, back panel, mounting frame	EQ	A151400F-BP2
MF8SCPM	Barrier free bi-level, wall mounted fountain, SS, 8 gph, filter, mounting frame	EQ	A152408F-WF1
MF8SCEE	Barrier free bi-level, wall mounted fountain, SS, 8 gph, sensor operated, filter, mounting frame	EQ	A152408F-SO-WF1
MF8SBPM	Barrier free, wall mounted fountain, SS, 8 gph, filter, mounting frame	EQ	A151408F-WF1
MF8SBEE	Barrier free, wall mounted fountain, SS, 8 gph, sensor operated, filter, mounting frame	EQ	A151408F-SO-WF1
M110FZ	Wall mounted (short) fountain, SS, freeze resistant valve, back panel	EQ	A441400F-BP2-FRA1
M140FZ	Barrier free, wall mounted fountain, SS, freeze resistant valve, back panel	EQ	A151400F-BP2-FRA1
P3CP	Compact, free standing cooler, sandstone powder coated, 3 gph	EQ	A511103F
P5CP	Compact, free standing cooler, sandstone powder coated, 5 gph	EQ	A511105F
P10CP	Compact, free standing cooler, sandstone powder coated, 10 gph	EQ	A511110F
P8FA	Free standing cooler, sandstone powder coated, 8 gph	EQ	A611108F

Acorn-Aqua Extensive Cross Reference Guide to Oasis

<u>Oasis Model #</u>	<u>Description</u>	<u>Code</u>	<u>Acorn Aqua #</u>
P14FA	Free standing cooler, sandstone powder coated, 14 gph	EQ	A611114F
PLF3CPH	Compact, free standing cooler, sandstone powder coated, 3 gph, hot water glass filler	EQ	A511103F-HGF
PLF8FAH	Free standing cooler, sandstone powder coated, 8 gph, hot water glass filler	EQ	A511108F-HGF
PLF14FAH	Free standing cooler, sandstone powder coated, 14 gph, hot water glass filler	EQ	A611114F-HGF
PLF7P	Free standing cooler, heavy duty, sandstone powder coated, 7 gph, brass bubbler	BE	A611108B
PLF13P	Free standing cooler, heavy duty, sandstone powder coated, 13 gph, brass bubbler	EQ	A611114B
PLF13PL	Free standing cooler, heavy duty, sandstone powder coated, 13 gph, child height	P2	A611114B-CH30
PF3CP	Compact, free standing cooler, sandstone powder coated, 3 gph, filter	EQ	A511103F-WF1
PF5CP	Compact, free standing cooler, sandstone powder coated, 5 gph, filter	EQ	A511105F-WF1
PF10CP	Compact, free standing cooler, sandstone powder coated, 10 gph, filter	EQ	A511110F-WF1
PF8FA	Free standing cooler, sandstone powder coated, 8 gph, filter	EQ	A611108F-WF1
PF14FA	Free standing cooler, sandstone powder coated, 14gph, filter	EQ	A611114F-WF1
PLF20FS	Free standing cooler, sandstone powder coated, 20 gph	P2	A611120F
PLF20FSCP	Free standing cooler, SS (corrosion protected), 20 gph	P2	A611420F
P16FSWHD	Free standing cooler, hazardous duty, sandstone powder coated, 16 gph	P2	A611116B-XP
P16FSWHDPCP	Free standing cooler, hazardous duty, SS (corrosion protected), 16 gph	P2	A611416B-XP
PLF16FSW	Free standing cooler, sandstone powder coated, 16 gph, water cooled	P2	A611116F-WC
PLF16FSWCP	Free standing cooler, SS (corrosion protected), 16 gph, water cooled	P2	A611416F-WC
R1S	Remote water chiller, 1 gph	EQ	A9100010
R3	Remote water chiller, 3 gph	NE	
R5	Remote water chiller, 5 gph	BE	A9100080
R8	Remote water chiller, 8 gph	EQ	A9100080
R12	Remote water chiller, 12 gph	BE	A9100100
F100	Wall mounted, SS fountain, push button bubbler	P2	A4A1400P
F110PM	Wall mounted, SS fountain, push button bubbler	BE	A441400B
F120	Wall mounted, SS round bowl fountain, push button bubbler with bracket	EQ	A461400P
F130PM	Simulated semi-recessed, SS fountain, push button bubbler	NE	
F140PM	Barrier free, wall mounted, SS fountain	EQ	A151400B
F200PM	Semi-recessed, wall mounted, SS fountain, push button bubbler	NE	
F211PM	Fully recessed, wall mounted, SS fountain, mounting frame	P2	A181400B
F240PM	Barrier free, inverted, fully recessed, wall mounted, SS fountain, mounting frame	P2	A181400B
F110R	Wall mounted, SS (short) fountain	EQ	A421400F
F140R	Barrier free, wall mounted, SS fountain	EQ	A131400F
FLF221PM	Fully recessed, cuspidor, SS, mounting frame	P2	A1004000-CUSP

Acorn-Aqua Extensive Cross Reference Guide to Oasis

<u>Oasis Model #</u>	<u>Description</u>	<u>Code</u>	<u>Acorn Aqua #</u>
FLF231PM	Fully recessed, fountain with cuspidor, SS, mounting frame	P2	A181400B-CUSP
FLF201PM	Semi-recessed cuspidor, SS	NE	
FLF202PM	Semi-recessed, fountain with cuspidor, SS	NE	
FLF300R	Deck mounted, round bowl fountain, SS	P2	A861400P
F400	Pedestal mounted, round bowl fountain, SS	EQ	A7F1500P
F500	Pedestal mounted, square fountain, SS	NE	
F702PM	Barrier free, wall mounted white epoxy cast aluminum fountain, 2 station	EQ	A112H00B
F703PM	Barrier free, wall mounted white epoxy cast aluminum fountain, 3 station	EQ	A113H00B
<u>Code</u>			
EQ= Equal			
BE= Best Equal			
ALT= Alternate			
NE= No Equal			
P2= Phase 2 Introduction			
(CY'04/Cross Reference Guides/Aqua vs Oasis)			
15-Mar-04			
Updated August 16, 2005			