

<u>Acorn-Aqua Extensive Cross Reference Guide to Sunroc</u>			
<u>Sunroc Model #</u>	<u>Description</u>	<u>Code</u>	<u>Acorn Aqua #</u>
ADAD8	Barrier free, wall mounted cooler, granite vinyl, 8 gph	EQ	A111108F
ADADLR	Barrier free, wall mounted cooler, granite vinyl, less refrigeration	EQ	A111100F
ADAD8HF	Barrier free, wall mounted cooler, granite vinyl, 8 gph, sensor operated	EQ	A111108F-SO
ADAD8BL	Barrier free bi-level, wall mounted cooler, granite vinyl, 8 gph	EQ	A112108F
ADAD8RBL	Barrier free reverse bi-level, wall mounted cooler, granite vinyl, 8 gph	EQ	A112108F-RBL
ADAD8BLHF	Barrier free bi-level, wall mounted cooler, granite vinyl, 8 gph, sensor operated	EQ	A112108F-SO
HCWCD8F	Barrier free, wall mounted cooler, pewter vinyl, 8 gph	NE	
HCWCD8	Barrier free, wall mounted cooler, pewter vinyl, 8 gph	NE	
HCWC-8HF	Barrier free, wall mounted cooler, pewter vinyl, 8 gph, sensor operated	NE	
HCWC-LRN	Barrier free, wall mounted cooler, pewter vinyl, less refrigeration	NE	
NWCA-5FN	Barrier free, wall mounted cooler, pewter vinyl, 5 gph	EQ	A111108F
NWCA-5N	Barrier free, wall mounted cooler, pewter vinyl, 5 gph	EQ	A111108F
NWCA-5HF	Barrier free, wall mounted cooler, pewter vinyl, 5 gph, sensor operated	EQ	A111108F-SO
NWCA-8FN	Barrier free, wall mounted cooler, pewter vinyl, 8 gph	EQ	A111108F
NWCA-8N	Barrier free, wall mounted cooler, pewter vinyl, 8 gph	EQ	A111108F
NWCA-8HF	Barrier free, wall mounted cooler, pewter vinyl, 8 gph, sensor operated	EQ	A111108F-SO
NWCA-LRN	Barrier free, wall mounted cooler, pewter vinyl, less refrigeration	EQ	A111100F
NWCA-8BLN	Barrier free bi-level, wall mounted cooler, pewter vinyl, 8 gph	EQ	A112108F-RBL
NWCA-8RBLN	Barrier free reverse bi-level, wall mounted cooler, pewter vinyl, 8 gph	EQ	A112108F
NWCA-8F-BLN	Barrier free bi-level, wall mounted cooler, pewter vinyl, 8 gph	EQ	A112108F-RBL
NWCA-8FRBLN	Barrier free reverse bi-level, wall mounted cooler, pewter vinyl, 8 gph	EQ	A112108F
NWCA-8-BLHF	Barrier free bi-level, wall mounted cooler, pewter vinyl, 8 gph, sensor operated	EQ	A112108F-RBL-SO
NSWD5	Wall mounted cooler, pewter vinyl, 5 gph	EQ	A311105F
NSWD8	Wall mounted cooler, pewter vinyl, 8 gph	EQ	A311108F
NSW-10N	Wall mounted cooler, pewter vinyl, 10 gph	P2	A311110F
NSWD14	Wall mounted cooler, pewter vinyl, 14 gph	P2	A311114F
NSW-16N	Wall mounted cooler, pewter vinyl, 16 gph	P2	A311116F
NSWDLR	Wall mounted cooler, pewter vinyl, less refrigeration	EQ	A311100F
NSWD8H	Wall mounted cooler, pewter vinyl, 8 gph, hot water glass filler	EQ	A311108F-HGF
NSWD14H	Wall mounted cooler, pewter vinyl, 14 gph, hot water glass filler	P2	A311114F-HGF
NSWD16H	Wall mounted cooler, pewter vinyl, 16 gph, hot water glass filler	P2	A311116F-HGF
NSW-8N T&S	Wall mounted bi-level cooler, pewter vinyl, 8 gph, tall & small	P2	A312108F-T/S
NSW-14N T&S	Wall mounted bi-level cooler, pewter vinyl, 14 gph, tall & small	P2	A312114F-T/S
NSW-16N T&S	Wall mounted bi-level cooler, pewter vinyl, 16 gph, tall & small	P2	A312116F-T/S
CSWD4	Compact, wall mounted cooler, pewter vinyl, 4 gph	EQ	A2111104F
CSW-8N	Compact, wall mounted cooler, pewter vinyl, 8 gph	EQ	A2111108F
CSW-13N	Compact, wall mounted cooler, pewter vinyl, 13 gph	P2	A2111113F
CSWDLR	Compact, wall mounted cooler, pewter vinyl, less refrigeration	EQ	A2111100F
PSRD8	Wall mounted cooler, simulated recessed, pewter vinyl, 8 gph	NE	
PSRD14	Wall mounted cooler, simulated recessed, pewter vinyl, 14 gph	NE	
PSRDLR	Wall mounted cooler, simulated recessed, pewter vinyl, less refrigeration	NE	
DRF-3601	Barrier free, wall mounted fountain, stainless steel, 8 gph, mounting frame	EQ	A151408B
DRF-3601HF	Barrier free, wall mounted fountain, stainless steel, 8 gph, sensor operated, mounting frame	EQ	A151408B-SO
DRF-3801	Barrier free, wall mounted bi-level fountain, stainless steel, 8 gph, mounting frame	EQ	A152408B
DRF-3801HF	Barrier free, wall mounted bi-level fountain, stainless steel, 8 gph, SO, mounting frame	EQ	A152408B-SO
DRF-4801	Barrier free, wall mounted fountain, stainless steel, 8 gph, mounting frame	P2	A111408B
DRF-4801	Barrier free, wall mounted fountain, stainless steel, 8 gph, sensor operated, mounting frame	P2	A111408B-SO
DRF-7101	Barrier free, wall mounted fountain, stainless steel, 8 gph, mounting frame	EQ	A131408B
DRF-7101HF	Barrier free, wall mounted fountain, stainless steel, 8 gph, sensor operated, mounting frame	EQ	A131408B-SO
DRF-7201	Barrier free, wall mounted bi-level fountain, stainless steel, 8 gph, mounting frame	EQ	A132408B
DRF-7201HF	Barrier free, wall mounted bi-level fountain, stainless steel, 8 gph, SO, mounting frame	EQ	A132408B-SO

Acorn-Aqua Extensive Cross Reference Guide to Sunroc

<u>Sunroc Model #</u>	<u>Description</u>	<u>Code</u>	<u>Acorn Aqua #</u>
SRCD8	Semi-recessed, wall mounted cooler, pewter vinyl, 8 gph, mounting frame	NE	
SRCD14	Semi-recessed, wall mounted cooler, pewter vinyl, 14 gph, mounting frame	NE	
SRCDLR	Semi-recessed, wall mounted cooler, pewter vinyl, less refrigeration, mounting frame	NE	
NFRD8	Fully recessed, wall mounted cooler, stainless steel, 8 gph, mounting frame	P2	AR11408B
NFRD12	Fully recessed, wall mounted cooler, stainless steel, 12 gph, mounting frame	P2	AR11412B
NSF-4N	Free standing cooler, pewter vinyl, 4 gph	EQ	A611104F
NSFD8	Free standing cooler, pewter vinyl, 8 gph	EQ	A611108F
NSF-10N	Free standing cooler, pewter vinyl, 10 gph	EQ	A611110F
NSFD14	Free standing cooler, pewter vinyl, 14 gph	EQ	A611114F
NSFD16	Free standing cooler, pewter vinyl, 16 gph	P2	A611116F
NSF-20N	Free standing cooler, pewter vinyl, 20 gph	P2	A611120F
NSFDLR	Free standing cooler, pewter vinyl, less refrigeration	EQ	A611100F
NSF-8H	Free standing cooler, pewter vinyl, 8 gph, hot water glass filler	EQ	A611108F-HGF
NSFD14H	Free standing cooler, pewter vinyl, 14 gph, hot water glass filler	EQ	A611114F-HGF
NSF-16H	Free standing cooler, pewter vinyl, 16 gph, hot water glass filler	P2	A611116F-HGF
NSF-8N T&S	Free standing bi-level cooler, pewter vinyl, 8 gph, tall & small	P2	A6112108F-T/S
NSF-14N T&S	Free standing bi-level cooler, pewter vinyl, 14 gph, tall & small	P2	A6112114F-T/S
NSF-16N T&S	Free standing bi-level cooler, pewter vinyl, 16 gph, tall & small	P2	A6112116F-T/S
NSF-20N T&S	Free standing bi-level cooler, pewter vinyl, 20 gph, tall & small	P2	A6112120F-T/S
NSFS-14N	Free standing cooler, pewter vinyl, 14 gph, child height	P2	A611114F-CH30
NSFD16W	Free standing cooler, pewter vinyl, 16 gph, water cooled	P2	A611116F-WC
NSF-20WN	Free standing cooler, pewter vinyl, 20 gph, water cooled	P2	A611120F-WC
CSFD3	Compact, free standing cooler, pewter vinyl, 3 gph	EQ	A511103F
CSFD5	Compact, free standing cooler, pewter vinyl, 5 gph	EQ	A511105F
CSFD10	Compact, free standing cooler, pewter vinyl, 10 gph	EQ	A511110F
CSF-10WN	Compact, free standing cooler, pewter vinyl, 10 gph, water cooled	P2	A511110F-WC
CSFDLR	Compact, free standing cooler, pewter vinyl, less refrigeration	EQ	A511100F
CSFD3H	Compact, free standing cooler, pewter vinyl, 3 gph, hot water glass filler	EQ	A511103F-HGF
CSFD5H	Compact, free standing cooler, pewter vinyl, 5 gph, hot water glass filler	EQ	A511105F-HGF
SAFE IIN	Free standing cooler, pewter vinyl, 16 gph, explosion proof	P2	A611416B-XP
DF-2601	Barrier free, wall mounted fountain, stainless steel, mounting plate	EQ	A131400B
DF-2801	Barrier free, wall mounted bi-level fountain, stainless steel, mounting plate	EQ	A132400B
DF-3301	Wall mounted (short) fountain, stainless steel	EQ	A441400B
DF-3401	Barrier free, wall mounted fountain, stainless steel	EQ	A151400B
DF-3701	Barrier free, wall mounted bi-level fountain, stainless steel	EQ	A152400B
DF-7001	Wall mounted fountain, round stainless steel bowl, push button bubbler	EQ	A461400P
DF-7241	Barrier free, wall mounted white epoxy cast aluminum fountain, 2 station	EQ	A112H00B
DF-7301	Barrier free, wall mounted white epoxy cast aluminum fountain, 3 station	EQ	A113H00B
DF-7501	Wall mounted fountain, stainless steel, push button bubbler	P2	A4A1400P
DF-5501	Fully recessed, wall mounted fountain, stainless steel	P2	A181400B
DF-5551	Fully recessed, wall mounted fountain and cuspidor, stainless steel	P2	A181400B-CUSP
DF-5511	Fully recessed, wall mounted cuspidor, stainless steel	P2	A1004000-CUSP
DF-5571	Barrier free, fully recessed, wall mounted fountain, stainless steel	P2	A181400B
DF-5651	Wall mounted, fountain and cuspidor, stainless steel	NE	
DF-8801	Pedestal mounted, heavy duty iron pipe fountain, round bowl, surface mounted	EQ	A7F1500L
DF-6101	Deck mounted, round bowl fountain, stainless steel, push button bubbler	P2	A861400P
RWC-8N	Remote water chiller, 8 gph	EQ	A9100080
RWC-10N	Remote water chiller, 10 gph	EQ	A9100100
RPR-10-3	Remote water chiller, 10 gph	EQ	A9100100
RP-14-4	Remote water chiller, 14 gph	EQ	A9100140
RP-20-4	Remote water chiller, 20 gph	EQ	A9100200
RP-20-4W	Remote water chiller, 20 gph, water cooled	P2	A9100200-WC
USC	Under sink water chiller, 1 gph	EQ	A9100010

Acorn-Aqua Extensive Cross Reference Guide to Sunroc

<u>Sunroc Model #</u>	<u>Description</u>	<u>Code</u>	<u>Acorn Aqua #</u>
<u>Code</u>			
EQ= Equal			
BE= Best Equal			
ALT= Alternate			
NE= No Equal			
P2= Phase 2 Introduction			
(CY'04/Cross Reference Guides/Aqua vs Sunroc)			
12-Mar-04			
Updated August 16, 2005			